

VALVOLINE CO -- NAPA AUTOMATIC TRANS FLUID DEXRON III -- 9150-00N073634

=====
Product Identification
=====

Product ID:NAPA AUTOMATIC TRANS FLUID DEXRON III

MSDS Date:06/10/2005

FSC:9150

NIIN:00N073634

MSDS Number: CCNZN

=== Responsible Party ===

Company Name:VALVOLINE CO

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Info Phone Num:606-357-7847

Emergency Phone Num:800-274-5263

CAGE:IO754

=== Contractor Identification ===

Company Name:THE VALVOLINE CO

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Phone:606-357-7847

CAGE:IO754

Company Name:VALVOLINE OIL CO

Address:3499 BLAZER PKY

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Phone:606-357-7206 / 800-274-5263

CAGE:72527

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, PETRO DISTILLATES, SOLV-DEWAXED HEAVY
PARAFFINIC (SEV SOLV-REFINING &/HYDROTREATMENT); (PETRO
DISTILLATES)

CAS:64742-65-0

RTECS #:PY8038501

Fraction by Wt: 73-83%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:PACKET MATERIAL; (TRANSMISSION FLUID PACKAGE)

Fraction by Wt: 17-27%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:SPILL PROC: SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL
CLEAN-UP HAS BEEN COMPLETED. STOP SPILL AT SOURCE, DIKE (ING 4)

RTECS #:9999999ZZ

Ingred Name:ING 3: AREA OF SPILL TO PVNT SPREADING, PUMP LIQ TO SALVAGE TANK. REMAINING LIQ MAY BE TAKEN UP ON SAND, CLAY, (ING 5)

RTECS #:9999999ZZ

Ingred Name:ING 4: EARTH, FLOOR ABSORBENT, OR OTHER ABSORBENT MATERIAL AND SHOVELED INTO CONTAINERS.

RTECS #:9999999ZZ

Ingred Name:VENT: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW PEL-TLV(S).

RTECS #:9999999ZZ

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE: EXPOS NOT EXPECTED TO CAUSE IRRIT/INJURY. SKIN: EXPOS MAY CAUSE MILD IRRIT. PRLNG/RPTD EXPOS MAY DRY SKIN. SYMPS MAY INCL REDNESS, BURNING, DRYING & CRACKING, & SKIN BURNS. INGEST: SINGLE DOSE ORAL TOX IS LOW. SWALLOWING SML AMTS DURING NORM HNDLG IS NOT LIKELY TO CAUSE HARMFUL EFTS; (EFTS OF OVEREXPOSURE)
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:HLTH HAZ: SWALLOWING LGE AMTS MAY BE HARMFUL. INHAL: EXPOS IS POSS UNDER CERTAIN CNDTNS OF HNDLG & USE (FOR EXAMPLE, DURING HEATING, SPRAYING/STIRRING). SYMPS ARE MORE TYPICALLY SEEN AT AIR CONCS EXCE EDING REC EXPOS LIM. SYMPS OF EXPOS: GIIRRIT (NAUS, VOMIT, DIARR), IRRIT (NOSE, THROAT, RESP TRACT), ABDOMINAL PAIN.
Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL. PREEXISTING LUNG DISORDERS (E.G., ASTHMA-LIKE CONDITIONS), MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL.

=====
===== First Aid Measures =====

First Aid:EYES: IF SYMPS DEVELOP, MOVE INDIVIDUAL AWAY FROM EXPOS & INTO FRESH AIR. FLUSH EYES GENTLY W/WATER FOR AT LEAST 15 MIN, WHILE HOLDING EYELIDS APART. IF SYMPS PERSIST/THERE IS ANY VISUAL DFCLTY, SEEK MED ATTN. SKIN: REMOVE CONTAM CLTHG. WASH EXPOSED AREA W/SOAP & WATER. IF SYMPS PERSIST, SEEK MED ATTN. LAUNDER CLTHG BEFORE REUSE. INGEST: DO NOT INDUCE VOMIT. GIVE 1 GLASS OF MILK/WATER, & (SUP DAT)

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:365F,185C
Extinguishing Media:REGULAR FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH APPRVD SCBA & FULL PROT EQUIP . WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE VIOLENT & POSSIBLY ENDANGER THE LIFE OF THE FIREFIGHTER.
Unusual Fire/Explosion Hazard:NEVER USE WELDING/CUTTING TORCH ON/NEAR DRUM (EVEN EMPTY) BECAUSE PROD (EVEN JUST RESIDUE) CAN IGNITE

EXPLOSIVELY. DENSE SMOKE MAY BE GENERATED WHILE BURNING.

===== Accidental Release Measures =====

Spill Release Procedures:SML SPILL: ABSORB LIQ ON VERMICULITE, FLOOR
ABSORB/OTHER ABSORB MATL. LGE SPILL: PVNT RUN-OFF TO SEWERS,
STREAMS/OTHER BODIES OF WATER. IF RUN-OFF OCCURS, NOTIFY PROPER
AUTH AS REQUIRED, THAT A SPILL HAS OCCURRED. PERS NOT WEARING PROT
EQUIP (ING 3)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:CONTRS OF THIS MATL MAY BE HAZ WHEN
EMPTIED. SINCE EMPTIED CONTRS RETAIN PROD RESIDUES (VAP, LIQ,
AND/SOLID), ALL HAZ PREC IN MSDS MUST BE OBSERVED.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED UNDER NORMAL CNDTNS OF USE.
HOWEVER, IF OIL MISTS ARE GENERATED ABOVE RECOMMENDED PEL/TLV OF 5
MG/M3, THEN A NIOSH APPRVD RESP IS ADVISED IN ABSENCE OF PROPER
ENVIRONMENTAL CONTROL (CONSU LT YOUR INDUSTRIAL HYGIENIST).

Ventilation:NOT REQUIRED UNDER NORMAL CNDTNS OF USE. HOWEVER, IF
UNUSUAL OPERATING CNDTNS EXIST, THEN PROVIDE SUFFICIENT (ING 6)

Protective Gloves:NITRILE RUBBER GLOVES.

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:EMERGENCY EYEWASH AND DELUGE SHOWER MEETING
ANSI DESIGN CRITERIA . WEAR NORMAL WORK CLTHG COVERING ARMS & LEGS.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FIRST AID PROC: GET MED ATTN IMMED. IF POSS, DO NOT LEAVE VICTIM
UNATTENDED. INHAL: IF SYMPS DEVELOP, IMMED MOVE INDIVIDUAL AWAY
FROM EXPOS & INTO FRESH AIR. IF SYMPS PERSIST, SEEK MED ATTN. IF
BRTHG IS DFCLT, ADMIN OXYGEN. KEEP PERS WARM & QUIET; SEEK IMMED
MED ATTN.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>520F,>271C

Vapor Pres:<0.100

Vapor Density:>1

Spec Gravity:0.871

Evaporation Rate & Reference:SLOWER THAN ETHYL ETHER

Appearance and Odor:DRY, CLEAR AND BRIGHT RED LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:MAY FORM CARBON DIOXIDE AND CARBON
MONOXIDE, VARIOUS HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.