

MASTER CORP -- PSF-12 MASTER POWER STEERING FLUID -- 9150-00F045736

=====
Product Identification
=====

Product ID:PSF-12 MASTER POWER STEERING FLUID

MSDS Date:04/17/1994

FSC:9150

NIIN:00F045736

MSDS Number: BYLZZ

=== Responsible Party ===

Company Name:MASTER CORP

Address:1900 EXETER ROAD

Box:381900

City:GERMANTOWN

State:TN

ZIP:38138-1900

Country:US

Info Phone Num:901-755-5555

Emergency Phone Num:800-255-3924

CAGE:MASTC

=== Contractor Identification ===

Company Name:MASTER CORP

Address:1900 EXETER ROAD

Box:381900

City:GERMANTOWN

State:TN

ZIP:38138-1900

Country:US

Phone:901-755-5555

CAGE:MASTC

=====
Composition/Information on Ingredients
=====

Ingred Name:OIL PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY
PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 60%

Other REC Limits:5 MG/CUM

Ingred Name:PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC DISTILLATE
(PETROLEUM), PETROLEUM DISTILLATES, MINERAL OIL (SEVERE)

CAS:64742-52-5

RTECS #:PY8035001
Fraction by Wt: <40%

Ingred Name:ZINC SALT OF DIALKYL DITHIOPHOSPHORIC ACID
(ANTI-OXIDANT,ANTI-WEAR DISPERSANT)
Fraction by Wt: <1%

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MILD IRRITANT. SKIN: SLIGHT
IRRITANT. INHALATION: MINIMAL IRRITATION. INGESTION: LARGE AMOUNTS
MAY CAUSE ASPIRATION HAZARD IF VOMITING OCCURS. OVEREXPOSURE TO
MIST/VAPORS MAY CAUSE PULMONARY IRRITATION/CHRONIC BRONCHITIS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, HEADACHE, DROWSINESS, NAUSEA,
VOMITING, DIARRHEA
Medical Cond Aggravated by Exposure:PRE-EXISTING DERMATITIS.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH THOROUGHLY W/WATER FOR 15 MINS. SKIN: WASH W/
SOAP
& WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING HAS
STOPPED,
APPLY CPR. INGESTION: DON'T INDUCE VOMITING. IF SPONTANEOUS
VOMITING OCCURS, HOLD THE VICTIM'S HEAD LOWER THAN HIPS TO
PREVENT
ASPIRATION. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point:350F
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER SPRAY
Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE ON FLAMES BUT
SHOULD BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. WEAR SELF
CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:MAY IGNITE WHEN SUFFICIENT HEAT IS
APPLIED.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE SOURCES OF HEAT/IGNITION. REMOVE MATERIAL W/VACUUM TRUCKS/PUMP & SOAK UP RESIDUE W/AN ABSORBENT. USE APPROVED RESPIRATOR WHERE EXPOSURE LIMITS MAY BE EXCEEDED.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS IN A DRY, COOL PLACE, AWAY FROM SOURCES OF HEAT, IGNITION/STRONG OXIDIZERS.

Other Precautions:GROUND & BOND ALL TRANSFER & STORAGE EQUIPMENT W/SELF CLOSING VALVES, PRESSURE VACUUM BUNGS & FLAME ARRESTORS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE APPROVED RESPIRATORY PROTECTIVE EQUIPMENT FOR ENTRY INTO LARGE TANKS, VESSELS/OTHER CONFINED SPACES/IN SITUATIONS WHERE EXPOSURE MAY EXCEED OCCUPATIONAL EXPOSURE LEVELS.

Ventilation:GENERAL/LOCAL EXHAUST: TO KEEP MIST/VAPORS <EXPOSURE LEVELS; TO PREVENT FORMATION OF AN OXYGEN DEFICIENT ATMOSPHERE.

Protective Gloves:IMPERVIOUS

Eye Protection:FACESHIELD, CHEMICAL SAFETY GOGGLES

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Spec Gravity:0.9218

Solubility in Water:INSOLUBLE

Appearance and Odor:LIGHT AMBER LIQUID W/SLIGHT HYDROCARBON ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HEAT, SPARKS, FLAME & STATIC ELECTRICITY

Hazardous Decomposition Products:CO, CO2, ALDEHYDES, KETONES,
COMBUSTION PRODUCTS OF SULFUR & NITROGEN.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.