

SAFETY DATA SHEET

Creation Date 23-Oct-2009 Revision Date 24-Dec-2021 Revision Number 11

1. Identification

Product Name Potassium permanganate

Cat No.: P279-212; P279-500; P287-212; P287-500; NC0553994

CAS No 7722-64-7

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Category 2
Acute oral toxicity
Category 4
Skin Corrosion/Irritation
Category 1
Cerious Eye Damage/Eye Irritation
Category 1
Reproductive Toxicity
Category 2
Specific target organ toxicity (single exposure)
Category 3
Target Organs - Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Brain.

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer
Harmful if swallowed
Causes severe skin burns and eye damage
May cause respiratory irritation
Suspected of damaging the unborn child
May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

∟yes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Potassium permanganate	7722-64-7	>95

4. First-aid measures
1. I II St did III Casal Cs

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin ContactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Not applicable

Unsuitable Extinguishing Media No information available

Flash Point

No information available

No information available

Autoignition Temperature

Explosion Limits

UpperNo data availableLowerNo data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Heavy metal oxides. Potassium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards302OX

6. Accidental release measures

Personal Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other

combustible materials.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do Storage. not store near combustible materials. Incompatible Materials. Reducing Agent. Strong

acids. Strong reducing agents. Combustible material.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	ACGIH TLV OSHA PEL		Mexico OEL (TWA)
Potassium permanganate	TWA: 0.02 mg/m ³	(Vacated) Ceiling: 5 mg/m ³	IDLH: 500 mg/m ³	TWA: 0.2 mg/m ³
	TWA: 0.1 mg/m ³		TWA: 1 mg/m ³	-
			STEL: 3 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Ensure that eyewash stations and safety showers are close to the workstation location. **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection**

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Solid Powder **Physical State** Dark brown **Appearance** Odor Odorless

Odor Threshold No information available

8 (16 g/l @ 20°C) Melting Point/Range 240 °C / 464 °F **Boiling Point/Range** No information available

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor DensityNot applicableSpecific Gravity2.700 g/cm3SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNot applicableDecomposition Temperature240 °CViscosityNot applicableMolecular FormulaK Mn O4

Molecular FormulaK Mn OMolecular Weight158.04

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions. Oxidizer: Contact with combustible/organic material may

cause fire.

Conditions to Avoid Incompatible products. Excess heat. Combustible material.

Incompatible Materials Reducing Agent, Strong acids, Strong reducing agents, Combustible material

Hazardous Decomposition Products Heavy metal oxides, Potassium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50 Category 4.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Potassium permanganate	LD50 = 750 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	Not listed		

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe irritation and or burns

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Potassium	7722-64-7	Not listed				
permanganate						

Mutagenic Effects No information available

Reproductive Effects Possible risk of harm to the unborn child.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure Brain

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium permanganate	0.41 mg/l/72h EC50	2.97-3.11 mg/L LC50 96 h	Not listed	Not listed
	_	3.16-3.77 mg/L LC50 96 h		
		3.3-3.93 mg/L LC50 96 h		
		2.3 mg/L LC50 96 h		
		0.769-1.27 mg/L LC50 96 h		
		1.08-1.38 mg/L LC50 96 h		
		1.8-5.6 mg/L LC50 96 h		
		2.7 mg/L LC50 96 h		

Persistence and Degradability May persist based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Potassium permanganate	-1.73

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN1490 **UN-No**

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 **Packing Group** Ш

TDG

UN1490 **UN-No**

POTASSIUM PERMANGANATE **Proper Shipping Name**

Hazard Class 5.1 **Packing Group**

IATA

UN-No UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

IMDG/IMO

UN-No UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Potassium permanganate	7722-64-7	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

X = listed.

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Potassium permanganate	7722-64-7	Х	-	231-760-3	Х	Х	Х	Х	Х	KE-29180

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %	
Potassium permanganate	7722-64-7	>95	1.0	

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
Potassium permanganate	X	100 lb	-	-	

Clean Air Act

Glouit All Act						
	Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors		
	Potassium permanganate	X		=		

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Potassium permanganate	100 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Potassium permanganate	Χ	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product contains the following DHS chemicals:

Security

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Persistent Organic

Ozone Depletion

Restriction of

Component	DHS Chemical Facility Anti-Terrorism Standard		
Potassium permanganate	Theft STQs - 400lb		

Other International Regulations

Component

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	. ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Potassium permanganate	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No

			Pollutant	Potentiai	nazardous
					Substances (RoHS)
Potassium permanganate	7722-64-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
·		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
	Qualifying Quantities Qualifying Quantities				
		for Major Accident	for Safety Report		
		Notification	Requirements		
Potassium permanganate	7722-64-7	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

OECD HPV

 Creation Date
 23-Oct-2009

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

Revision Date 24-Dec-2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS