

Safety Data Sheet

**Section 1: Identification of the Substance/Mixture and of the Company/Undertaking****1.1 Product identifier**

| | |
|---------------------|---------------------------------|
| Product Name | • Ammonium Hydroxide |
| Synonyms | • Ammonia aqueous; Aqua ammonia |
| Product Code | • 70033 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------------|------------|
| Relevant identified use(s) | • Cleaning |
|-----------------------------------|------------|

1.3 Details of the supplier of the safety data sheet

| | |
|------------------------------|---|
| Manufacturer | • Air Liquide 2700 Post Oak Blvd. Houston, TX 77056 United States www.us.airliquide.com sds@airliquide.com |
| Telephone (Technical) | • 713-896-2896 |
| Telephone (Technical) | • 800-819-1704 |

1.4 Emergency telephone number

| | |
|---------------------|-------------------|
| Manufacturer | • 800-424-9300 |
| Manufacturer | • +1 703-527-3887 |

Section 2: Hazards Identification**EU/EEC**

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

| | |
|----------------|---|
| CLP | • Skin Corrosion 1B - H314 Hazardous to the aquatic environment Acute 1 - H400 |
| DSD/DPD | • Corrosive (C) Dangerous to the Environment (N) R34, R50 |

2.2 Label Elements

CLP

DANGER

- Hazard statements** ● H314 - Skin Corrosion 1B
H400 - Very toxic to aquatic life

Precautionary statements

- Prevention** ● P260 - Do not breathe mist/vapours/spray.
P264 - Wash thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, clothing, and eye/face protection, .
- Response** ● P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363 - Wash contaminated clothing before reuse.
P321 - Specific treatment, see supplemental first aid information.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P310 - Immediately call a POISON CENTER or doctor/physician.
P391 - Collect spillage.

- Storage/Disposal** ● P405 - Store locked up.
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



- Risk phrases** ● R34 - Causes burns.
R50 - Very toxic to aquatic organisms.

- Safety phrases** ● S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S61 - Avoid release to the environment. Refer to special instructions/ Safety Data Sheets.

2.3 Other Hazards

- CLP** ● According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

- DSD/DPD** ● This product is considered dangerous according to the European Directive 67/548/EEC.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

- OSHA HCS 2012** ● Acute Toxicity Oral 4 - H302
Skin Corrosion 1C - H314
Serious Eye Damage 1 - H318

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements** ● Harmful if swallowed - H302

Causes severe skin burns and eye damage - H314
Causes serious eye damage - H318

Precautionary statements

- Prevention**
- Do not breathe mist/vapours/spray. - P260
 - Wash thoroughly after handling. - P264
 - Do not eat, drink or smoke when using this product. - P270
 - Wear protective gloves, clothing, and eye/face protection, . - P280
- Response**
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353
 - Specific treatment, see supplemental first aid information. - P321
 - Wash contaminated clothing before reuse. - P363
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338
 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331
 - Immediately call a POISON CENTER or doctor/physician. - P310
- Storage/Disposal**
- Store locked up. - P405
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Corrosive - E

2.2 Label elements

WHMIS




- Corrosive - E

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information



See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

| Composition | | | | |
|--------------------|---|---------------|--|--|
| Chemical Name | Identifiers | % | LD50/LC50 | Classifications According to Regulation/Directive |
| Ammonium hydroxide | CAS:1336-21-6 EC Number:215-647-6 EU Index:007-001-01-2 | 10% TO 35% | Ingestion/Oral-Rat LD50 • 350 mg/kg | EU DSD/DPD: Annex I: C; R34 N; R50 EU CLP: Annex VI: Skin Corr. 1B, H314; Aquatic Acute 1, H400 OSHA HCS 2012: Skin Corr. 1C; Eye Dam. 1; Acute Tox. 4 (orl) |
| Water | CAS:7732-18-5 EC Number:231-791-2 | Balance | Ingestion/Oral-Rat LD50 • >90 mL/kg | EU DSD/DPD: Not Hazardous EU CLP: Not Hazardous OSHA HCS 2012: Not Hazardous |

3.2 Mixtures

- Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

Skin

- For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Get medical attention immediately.

Eye

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately.

Ingestion

- If swallowed, rinse mouth with water (only if the person is conscious) Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Give plenty of water to drink. Do not use mouth-to-mouth method if victim ingested the substance. Obtain medical attention immediately if ingested.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • LARGE FIRES: Dry chemical, CO₂, alcohol-resistant foam or water spray.
SMALL FIRES: Dry chemical, CO₂ or water spray.

Unsuitable Extinguishing Media • No data available

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Containers may explode when heated. Acid reacts with most metals to release hydrogen gas, which can form explosive mixtures with air.

Hazardous Combustion Products

- Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive fumes.

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Wear positive pressure self-contained breathing apparatus (SCBA).
SMALL FIRES: Move containers from fire area if you can do it without risk.
Runoff from fire control may cause pollution.

Section 6 - Accidental Release Measures**6.1 Personal precautions, protective equipment and emergency procedures****Personal Precautions**

- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container.

6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up**Containment/Clean-up Measures**

- Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Dike to collect large liquid spills.
A vapor suppressing foam may be used to reduce vapors.
Use water spray to reduce vapors or divert vapor cloud drift.
Neutralize residue with neutralizing agent appropriate for caustic materials. Test area with litmus paper to ensure neutralization is complete.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage**7.1 Precautions for safe handling****Handling**

- Handle and open container with care. Use only with adequate ventilation. Use caution when combining with water; DO NOT add water to corrosive liquid, ALWAYS add corrosive liquid to water while stirring to prevent release of heat, steam and fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe mist, vapours, spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities**Storage**

- Keep container tightly closed. Store in a cool, dry, well-ventilated place. Keep away from incompatible materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

- Exposure Limits/Guidelines**
- Currently there are no applicable exposure limits established for this material.

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear chemical splash safety goggles.

Skin/Body

- Wear appropriate gloves.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

| Material Description | | | |
|-------------------------------------|---------------------------------|------------------------|--|
| Physical Form | Liquid | Appearance/Description | Clear, colorless, corrosive liquid with an ammonia odor. |
| Color | Clear Colorless . | Odor | Ammonia |
| Odor Threshold | Data lacking | | |
| General Properties | | | |
| Boiling Point | > 81 F(> 27.2222 C) | Melting Point | -111 F(-79.4444 C) |
| Decomposition Temperature | Data lacking | pH | 11.5 to 12.5 |
| Specific Gravity/Relative Density | 0.897 Water=1 @ 60 F(15.5556 C) | Density | 0.9 g/mL @ 20 C(68 F) |
| Water Solubility | Data lacking | Solvent Solubility | Data lacking |
| Viscosity | Data lacking | Explosive Properties | Not explosive. |
| Oxidizing Properties: | Not an oxidizer. | | |
| Volatility | | | |
| Vapor Pressure | 9.1 psia @ 60 F(15.5556 C) | Vapor Density | Data lacking |
| Evaporation Rate | Data lacking | | |
| Flammability | | | |
| Flash Point | Data lacking | UEL | Data lacking |
| LEL | Data lacking | Autoignition | Data lacking |
| Flammability (solid, gas) | Not flammable. | | |
| Environmental | | | |
| Octanol/Water Partition coefficient | Data lacking | | |

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat.

10.5 Incompatible materials

- This product would be incompatible with Strong organic, inorganic acids, acrolein, dimethyl sulfate, halogens, fluorine, iodine, nitromethane, oleum, betapropiolactone, propylene oxide, silver compounds including nitrate, oxide and permanganate, and lead and zinc salts.

10.6 Hazardous decomposition products

- Thermal decomposition of this product can generate nitrogen oxides and ammonia.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

| Components | | |
|---------------------------------|-----------|---|
| Impurities, Stabilizers, etc... | | |
| Ammonium hydroxide (10% TO 35%) | 1336-21-6 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 350 mg/kg; <i>Gastrointestinal:Other changes; Liver:Other changes; Kidney, Ureter, and Bladder:Other changes;</i> Irritation: Eye-Rabbit • 44 µg • Severe irritation |

| GHS Properties | Classification |
|---------------------------|---|
| Acute toxicity | EU/CLP • Classification criteria not met OSHA HCS 2012 • Acute Toxicity - Oral 4 |
| Aspiration Hazard | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Carcinogenicity | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Germ Cell Mutagenicity | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Skin corrosion/Irritation | EU/CLP • Skin Corrosion 1B OSHA HCS 2012 • Skin Corrosion 1C |
| Skin sensitization | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| STOT-RE | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| STOT-SE | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |

| | |
|--------------------------------------|---|
| Toxicity for Reproduction | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Respiratory sensitization | EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met |
| Serious eye damage/Irritation | EU/CLP • Classification criteria not met OSHA HCS 2012 • Serious Eye Damage 1 |

Potential Health Effects

Inhalation

Acute (Immediate)

- May cause corrosive burns - irreversible damage.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

Skin

Acute (Immediate)

- Causes severe skin burns and eye damage.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials will cause dermatitis.

Eye

Acute (Immediate)

- Causes serious eye damage.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Ingestion

Acute (Immediate)

- Harmful if swallowed. May cause irreversible damage to mucous membranes.

Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

Key to abbreviations

LD = Lethal Dose

Section 12 - Ecological Information

12.1 Toxicity

- Very toxic to aquatic life.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

- Product waste** ● Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste** ● Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

| | 14.1 UN number | 14.2 UN proper shipping name | 14.3 Transport hazard class (es) | 14.4 Packing group | 14.5 Environmental hazards |
|-----------|----------------|---|----------------------------------|--------------------|----------------------------|
| DOT | UN2672 | Ammonia solution, relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammonia | 8 | III | NDA |
| TDG | UN2672 | AMMONIA SOLUTION, relative density between 0.880 and 0.957 at 15 °C in water, with more than 10 per cent but not more than 35 per cent ammonia | 8 | III | NDA |
| IMO/IMDG | UN2672 | AMMONIA SOLUTION | 8 | III | NDA |
| IATA/ICAO | UN2672 | Ammonia solution | 8 | III | NDA |

14.6 Special precautions for user ● No special precautions.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code ● Not relevant.

14.8 Other information

DOT ● Ammonium hydroxide has a reportable quantity of 1000 lbs (454 kg) as listed in Appendix A to 49 CFR 172.101.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications ● Acute

| State Right To Know | | | | |
|---------------------|-----------|-----|-----|-----|
| Component | CAS | MA | NJ | PA |
| Ammonium hydroxide | 1336-21-6 | Yes | Yes | Yes |

| Inventory | | | | | | |
|--------------------|-----------|------------|-------------|-------|-----------|-----------|
| Component | CAS | Canada DSL | Canada NDSL | China | EU EINECS | EU ELNICS |
| Ammonium hydroxide | 1336-21-6 | Yes | No | Yes | Yes | No |

| Inventory (Con't.) | | |
|--------------------|-----------|------|
| Component | CAS | TSCA |
| Ammonium hydroxide | 1336-21-6 | Yes |

Canada

Labor**Canada - WHMIS - Classifications of Substances**

| | | |
|----------------------|-----------|---|
| • Ammonium hydroxide | 1336-21-6 | E |
|----------------------|-----------|---|

Canada - WHMIS - Ingredient Disclosure List

| | | |
|----------------------|-----------|-----|
| • Ammonium hydroxide | 1336-21-6 | 1 % |
|----------------------|-----------|-----|

Environment**Canada - CEPA - Priority Substances List**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

China**Environment****China - Ozone Depleting Substances - First Schedule**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

China - Ozone Depleting Substances - Second Schedule

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

China - Ozone Depleting Substances - Third Schedule

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Other**China - Annex I & II - Controlled Chemicals Lists**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

China - Dangerous Goods List

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

China - Export Control List - Part I Chemicals

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Europe**Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

| | | |
|----------------------|-----------|---------------|
| • Ammonium hydroxide | 1336-21-6 | C; R34 N; R50 |
|----------------------|-----------|---------------|

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

| | | |
|----------------------|-----------|--|
| • Ammonium hydroxide | 1336-21-6 | 5%≤C<10%: Xi; R:36/37/38 10%≤C: C; R:34 |
|----------------------|-----------|--|

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

| | | |
|----------------------|-----------|---------------------------------------|
| • Ammonium hydroxide | 1336-21-6 | C N R:34-50 S:(1/2)-26-36/37/39-45-61 |
|----------------------|-----------|---------------------------------------|

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

| | | |
|----------------------|-----------|---|
| • Ammonium hydroxide | 1336-21-6 | B |
|----------------------|-----------|---|

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

| | | |
|----------------------|-----------|---------------------------|
| • Ammonium hydroxide | 1336-21-6 | S:(1/2)-26-36/37/39-45-61 |
|----------------------|-----------|---------------------------|

Germany

Environment**Germany - TA Luft - Types and Classes**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Germany - Water Classification (VwVwS) - Annex 1

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

| | | |
|----------------------|-----------|--|
| • Ammonium hydroxide | 1336-21-6 | ID Number 211, hazard class 2 - hazard to waters |
|----------------------|-----------|--|

Germany - Water Classification (VwVwS) - Annex 3

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Other**Germany - Specifically Regulated Chemicals in TRGS**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Portugal**Other****Portugal - Prohibited Substances**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

United Kingdom**Environment****United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Other**United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

United Kingdom - List of Dangerous Substances in Water

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

United States**Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

U.S. - OSHA - Specifically Regulated Chemicals

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

Environment**U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

| | | |
|----------------------|-----------|-----------------------------------|
| • Ammonium hydroxide | 1336-21-6 | 1000 lb final RQ; 454 kg final RQ |
|----------------------|-----------|-----------------------------------|

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

| | | |
|----------------------|-----------|------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
|----------------------|-----------|------------|

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

| | | |
|---|-----------|--------------------------|
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - CERCLA/SARA - Section 313 - Emission Reporting | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - EPA - Designated Generic Categories - Aqueous Ammonia | | |
| • Ammonium hydroxide | 1336-21-6 | NH3 Equiv. Wt. % = 48.59 |

United States - California**Environment**

| | | |
|--|-----------|------------|
| U.S. - California - Proposition 65 - Carcinogens List | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - California - Proposition 65 - Developmental Toxicity | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL) | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL) | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Female | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Male | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |

United States - Pennsylvania**Labor**

| | | |
|---|-----------|------------|
| U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | |
| • Ammonium hydroxide | 1336-21-6 | |
| U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances | | |
| • Ammonium hydroxide | 1336-21-6 | Not Listed |

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

| | |
|---------------------------|---------------------|
| Last Revision Date | • 08/September/2014 |
| Preparation Date | • 08/September/2014 |

Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations

NDA = No data available
