

MSDS No .: PP0790 Revision Date: January 4, 2012 Approved by: James A. Bertsch

MSDS No.: PP079	0					
Section 1	Section 1 Chemical Product and Company Information					
Product	Product POTASSIUM THIOCYANATE					
Synonyms	Synonyms Potassium Sulfocyanate					
CHEMTREC 2	4 Hour Eme	gency Phone Number (800) 424-9300				
Section 2	Ha	zards Identification				
Emergency Ov	verview		0 = Minimal	Healt		
WARNING!			1 = Slight 2 = Moderate	Fire		
HARMFUL IF SWALLOWED. CAUSES EYE, SKIN AND RESPIRATORY TRACT 2 = Moderate IRRITATION. 2 = Moderate 3 = Serious						

lth 2 0 activity 3 = Serious Contact 4 = Severe HMIS

Hygroscopic. Keep away from oxidizers, acids and acid fumes. Avoid contact with skin, eyes and clothing. Use with adequate ventilation. Store in a cool, dry place. Wash thoroughly after handling. Target organs: Blood.

221 Rochester Street

Avon, NY 14414

(585) 226-6177

Section 3	Composition / Information on Ingredients				
Chemical Name		CAS #	%	TLV Units (ACGIH 2001)	
Potassium thiocyanate		333-20-0	100%	None established.	
Section 4	First Aid Measures			•	

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Fire or excessive heat may produce hazardous decomposition products to be produced as dust or fume. Violent reactions have occurred when mixed with chlorates, nitrates and peroxides. Emits highly toxic fumes of cyanides upon decomposition.

Extinguishing Media: Use any media suitable for extinguishing supporting fire. Flash Point: Not flammable. Autoignition temperature: N/A Explosion Limits: Lower: N/A Upper: N/A	0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe None listed.
Section 6 Accidental Release Measures	

Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation. Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water. Avoid runoff into storm sewers and ditches which lead to waterways.

Section 7 Handling & Storage **GENERAL STORAGE CODE GREEN**

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. For laboratory use only. Not for drug, food or household use. Keep out of reach of children. Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale dusts. Wash thoroughly after handling. Remove and wash clothing before reuse. Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 **Exposure Controls / Personal Protection**

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9	Physical & Chemical Prop	perties
Physical state: Solid. Appearance: White crystals. Odor: No odor. pH: 5-7 (50 g/l) Vapor pressure (mm Hg): Negligible. Vapor Density (Air = 1): 3.36 Evaporation rate (Butyl acetate = 1): N/A Viscosity: N/A		Boiling point: 500° C (932°F) Freezing / Melting point: 173° C (343°F) Decomposition temperature: N/A Solubility in water: 177 g/100ml Specific gravity (H ₂ O = 1): 1.886 Percent volatile (%): N/A Molecular formula: KSCN Molecular weight: 97.18
Section 10	Stability & Reactivity	
Chemical stabil	ity: Stable	Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and formation of dust. Incompatibilities with other materials: Strong oxidizers and acids.

Ecological Information

Hazardous decomposition products: Ammonia, hydrogen sulphide, carbonyl sulphide, nitric oxides, sulfur oxides, hydrocyanic acid, thiourea. Carbon disulfide and hydrogen sulfide may form upon reaction with strong acids. Carbon disulfide is very reactive and may react violently with oxidizing agents causing fire or explosion.

Toxicological Information Section 11

Effects of overexposure: May be harmful if swallowed, inhaled or absorbed through skin. May cause irritation to skin and eyes. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

ORL-RAT LD50: 854 mg/kg

Section 12

Toxicity to fish: LC50:	1600-1700 mg/l
Section 13	Disposal Considerations
ply to empty container.	hes are intended for the disposal of catalog-size quantities only. Federal regulations may ap- State and/or local regulations may be different. Dispose of in accordance with all local, state or contract with a licensed chemical disposal agency.
Section 14	Transport Information
UN/NA number: N/A	
Shipping name: Not	Regulated.
Hazard class: N/A	
Packing group: N/A	
Exceptions: N/A	
Section 15	Regulatory Information
TSCA-listed, EINECS-I	isted (206-370-1), DSL-listed.

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. * Hazardous Materials Industrial Standards.

