

## 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation: AirX 80.

Date of Safety Data Sheet: May 30, 2017.

Use of Preparation: Carpet Shampoo

Company Identification: Flexo Products Ltd.

4777 Kent Avenue

Niagara Falls, Ontario L2H 1J5 OFFICE: 905-354-2723

**Company Emergency Telephone** 

Number

Emergency Phone: 905-354-2723.

**Transportation Emergency** 

Telephone Number

CANUTEC 613-996-6666 or \* 666 for cell phone

## 2. HAZARD IDENTIFICATION

Emergency Overview: OSHA / WHMIS 2015 Hazards

Irritant.

Classification of substance or mixture

GHS-US/Canadian classification:

**GHS Hazards** 

Acute Toxicity Category 4 (Oral) H302

Skin Irritation Category 2 H315

Skin Sensitizer Category 1 H317

Eye Irritation Category 2A H319

**Label Elements** 

**GHS Labeling** 

Hazard Pictograms (GHS):





Signal Word (GHS): Warning Hazard Statements (GHS): H302: Harmful if swallowed. H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Precautionary Statements (GHS):

P264: Wash hands thoroughly after handling.

P271: Contaminated work clothing must not be allowed out of the work place. P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response (GHS):

P301+P310 IF SWALLOWED: Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention

P333+ P313: If skin irritation or a rash occurs: Get medical advice/attention.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Sodium Carbonate	497-19-8	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 2 - H315 Serious Eye Damage/Irritation Category 2A - H319
Diethylene glycol monobutyl ether	112-34-5	1-5	Serious Eye Damage / Eye Irritation Category 2B- H320 STOT Repeated Exposure Category 2 - H373
2-Propanol	67-63-0	3-7	Flammable Liquids Category 2 –H225 Acute Toxicity Category 5 (Oral) - H303 Serious Eye Damage/Irritation Category 2A – H319
Tetrasodium EDTA	64-02-8	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 2 - H315 Serious Eye Damage/Irritation Category 1 – H318

Date: May 30, 2017 SDS: Flexo Products Ltd. AirX



Tetrapotassium pyrophosphate	7320-34-5	1-5	Metal Corrosion Category 1 – H290 Skin Corrosion/Irritation Category 2 - H315 Serious Eye Damage/Irritation Category 2A – H319
Fragrance	various	0.1-1.0	Skin Sensitization Category 1 - H317

#### 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If symptoms persist consult physician.

**Eye Contact:** Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists get medical

attention.

**Skin Contact:** Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

**Notes to Physician:** Treatment based on judgment of attending physician.

### 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: As per surrounding fire. Unsuitable extinguishing media: No information available.

**Special exposure hazards Special safety equipment:**Fire or excessive heat may produce hazardous decomposition products.
Self-contained positive pressure breathing apparatus and protective clothing.

Fire and explosion Not flammable. Not an explosive hazard.

**Further information** Keep containers and surrounding cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe mist or dust.

For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

Date: May 30, 2017 SDS: Flexo Products Ltd. AirX

801



**Emergency Procedures:** Ventilate area.

**Environmental Precautions** 

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

**For Containment**: Contain any spills with dikes to prevent migration and entry into sewers or streams. **Methods for Cleaning Up**: Clear up spills immediately by sweeping up and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

## 7. HANDLING AND STORAGE

## Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of mist.

## Information about fire - and explosion protection:

Keep respiratory protective device available.

No special measures required.

## Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

## Information about storage in one common storage facility:

Do not store together with acid products.

Store away from reducing agents.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory protection:** Use local exhaust or dilution ventilation.

**Hand protection:** Chemical resistant gloves.

**Eye protection:** Safety goggles.

**Skin protection**: Use body-covering clothing.

Working hygiene: Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

Date: May 30, 2017 SDS: Flexo Products Ltd. AirX

801



Mild

No data available.

No ingredients with exposure guidelines. **Exposure Guidelines:** 

Liquid

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

**Physical State** 

Clear.	Odour
Blue	Odour Threshold
<u>Values</u>	Remarks/Method
	None known
No data available	None known
No data available	None known
Not applicable.	None known
No data available	None known
Not flammable	None known
No data available	None known
0.98-1.01 g/cm3	
Soluble in water.	None known
No data available	None known
No data available	None known
No data available	None known
No data available	None known
No data available	None known
No data available	None known
No data available	None known
No date available	None known
No data available	
	Clear. Blue Values  10.5-11.5 No data available No data available Not applicable. No data available Not flammable  No data available

No data available

SDS: Flexo Products Ltd. AirX



Particle Size No data available
Particle Size Distribution No data available

## 10. STABILITY AND REACTIVITY

**Reactivity**Stable at normal ambient temperature and pressure. **Chemical stability**No decomposition if stored and applied as directed.

Thermal decomposition/conditions

Stable under normal conditions.

to avoid:

**Possibility of hazardous reactions** Reacts with acids. Reacts with reducing and oxidizing agents.

**Conditions to avoid**Store away from reducing agents, acids. **Hazardous decomposition products**Acids, oxidizing and reducing agents.

Materials to avoidOxides of carbon.Hazardous polymerizationWill not occur

## 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification
Routes of Entry Inhalation, ingestion, eye or skin
Calculated LD 50 > 2000 mg/Kg (Oral/Rat)

On the skin: Causes drying of the skin. On the eye: Causes pain and redness.

Respiratory or Skin Sensitization: Fragrance is classified as a skin sensitizer.

Additional toxicological information:

Carcinogenicity: Chemical Name None

### 12. ECOLOGICAL INFORMATION

Toxicity: Not classified Persistence and Degradability: Not available Bioaccumulative Potential: Not available Mobility in Soil: Not available.

Other Adverse Effects

**Other Information:** All of the organic components of this product are readily biodegradable.



### 13. DISPOSAL

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

## 14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT): Not Regulated

Canadian TDG (Road & Rail): Not Regulated Water Transportation (IMO): Not Regulated Air Transportation (IATA): Not Regulated

### 15. REGULATION

Occupational Health & Safety Regulations: WHMIS Classification: Class D - Division 2B.



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

### International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

KECL -

PICCS -

AICS Complies

#### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Date: May 30, 2017

SDS: Flexo Products Ltd. AirX
801



**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### **U.S. State Regulations**

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

## HMIS III Rating:

Health: 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

SDS US (GHS HazCom 2012) SDS Canada (GHS WHMIS 2015)

## **16. OTHER INFORMATION**

Prepared By: Flexo Products Ltd.

4777 Kent Avenue Niagara Falls, Ontario

L2H 1J5

Issuing Date: May 30, 2017



#### Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet** 

Date: May 30, 2017 SDS: Flexo Products Ltd. AirX 801