		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil

™ Trademark, Valvoline or its subsidiaries, regisred in various countries

**Relevant identified uses of the substance or mixture and uses advised against**

<b>Details of the supplier of the safety data sheet</b> Valvoline LLC 3499 Blazer Parkway Lexington, KY 40509 United States of America (USA) 1-800-TEAMVAL	<b>Emergency telephone number</b> 1-800-VALVOLINE  <b>Regulatory Information Number</b> 1-800-TEAMVAL  <b>Product Information</b> 1-800-TEAMVAL
---	--

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

**GHS label elements**

This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).

**Other hazards**


None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Not a hazardous substance or mixture.	5.2547
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	Asp. Tox. 1; H304	1.1945
Phosphorodithioic acid, mixed	113706-15-3	Skin Irrit. 2; H315	1.036


		Page: 2
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

O,O-bis(sec-Bu and isoocetyl) esters, zinc salts		Eye Dam. 1; H318	
--	--	------------------	--

#### SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Acute aspiration of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long-term sequelae. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs (i.e. lipid pneumonia) that may progress to pulmonary fibrosis. Symptoms are often subtle and radiological changes appear worse than clinical abnormalities. Occasionally, persistent cough, irritation of the upper respiratory tract, shortness of breath with exertion, fever, and bloody sputum occur. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities.
- Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)
- Notes to physician : No hazards which require special first aid measures.

#### SECTION 5. FIREFIGHTING MEASURES

		Page: 3
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Carbon dioxide (CO2)  
 Dry chemical
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide  
 Hydrocarbons  
 Nitrogen oxides (NOx)  
 Sulphur oxides  
 hydrogen sulfide  
 mercaptans  
 zinc oxide
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
 Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.

**SAFETY DATA SHEET**

Revision Date: 09/23/2016

Print Date: 11/1/2016

SDS Number: R0306034

Version: 1.4

Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil  
 ™ Trademark, Valvoline or its subsidiaries, regisred in various  
 countries  
 VV70505

Materials to avoid : No materials to be especially mentioned.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA	5 mg/m3 Mist	OSHA Z-1
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3 Mist	OSHA P0
		TWA	5 mg/m3 Mist	NIOSH REL
		ST	10 mg/m3 Mist	NIOSH REL
		PEL	5 mg/m3 particulate	CAL PEL

**Hazardous components without workplace control parameters**

Components	CAS-No.

**Engineering measures** : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear resistant gloves (consult your safety equipment supplier).  
 Wear as appropriate:  
 Safety shoes

Hygiene measures : General industrial hygiene practice.

**SAFETY DATA SHEET**

Revision Date: 09/23/2016

Print Date: 11/1/2016


SDS Number: R0306034

Version: 1.4

Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil  
™ Trademark, Valvoline or its subsidiaries, regisred in various  
countries  
VV70505

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	: liquid
Colour	: amber
Odour	: hydrocarbon-like
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: > 424.9 °F / 218.3 °C
Flash point	: > 199 °C Method: Cleveland open cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: 6 %(V) Calculated Explosive Limit
Lower explosion limit	: 1 %(V) Calculated Explosive Limit
Vapour pressure	: 0.0133333 hPa (21.11 °C) Calculated Vapor Pressure
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.880 g/cm <sup>3</sup> (15.56 °C)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 115 mm <sup>2</sup> /s (40 °C)

		Page: 6
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

Oxidizing properties : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat

Incompatible materials : Acids  
Strong oxidizing agents  
water

Hazardous decomposition products : carbon dioxide and carbon monoxide  
Hydrocarbons  
hydrogen sulfide  
Nitrogen oxides (NOx)  
Sulphur oxides  
zinc oxide  
mercaptans

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

### **Acute toxicity**

Not classified based on available information.

### **Components:**

Distillates (petroleum), solvent-dewaxed heavy paraffinic:


Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Acute oral toxicity : LD50 (Rat): 2,900 mg/kg

Remarks: Information given is based on data obtained from similar substances.

		Page: 7
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
 Assessment: Not classified as acutely toxic by dermal absorption under GHS.  
 Remarks: Information given is based on data obtained from similar substances.

**Skin corrosion/irritation**

Not classified based on available information.

**Components:**

Distillates (petroleum), solvent-dewaxed heavy paraffinic:  
 Result: Slight, transient irritation

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Result: Slight, transient irritation

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:  
 Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury.

**Components:**

Distillates (petroleum), solvent-dewaxed heavy paraffinic:  
 Result: Slight, transient irritation

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Result: Slight, transient irritation

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:  
 Result: Corrosive

Remarks: Information given is based on data obtained from similar substances.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:  
 Test Type: Buehler Test  
 Species: Guinea pig  
 Assessment: Did not cause sensitisation on laboratory animals.


**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Genotoxicity in vitro : Remarks: In vitro tests showed mutagenic effects which were not observed with in vivo test.

		Page: 8
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

Genotoxicity in vivo : Test Type: chromosome aberration assay  
 Test species: Mouse  
 Cell type: peripheral blood cells  
 Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**Components:**

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Effects on fertility : Species: Rat  
 Application Route: Oral  
 Dose: 100 mg/kg bw/day  
 Symptoms: No effects on reproduction parameters

Effects on foetal development : Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: No observed adverse effect level F1:  
 100 mg/kg body weight

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Components:**

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks: No data available

**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.


**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



		Page: 9
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

#### Components:

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l

Exposure time: 96 h

Remarks: Information given is based on data obtained from similar substances.

#### Persistence and degradability

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Biodegradability : Result: Not readily biodegradable.

Remarks: Information given is based on data obtained from similar substances.

No data available

#### Bioaccumulative potential

Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts:

Bioaccumulation : Bioconcentration factor (BCF): 3

Remarks: Information given is based on data obtained from similar substances.

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.



**SAFETY DATA SHEET**

Revision Date: 09/23/2016

Print Date: 11/1/2016

SDS Number: R0306034

Version: 1.4

Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil  
™ Trademark, Valvoline or its subsidiaries, regisred in various countries  
VV70505

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods

**CFR\_RAIL\_C**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TDG\_ROAD\_C**

Not dangerous goods

**TDG\_RAIL\_C**

Not dangerous goods

**TDG\_INWT\_C**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods


**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MX\_DG**

Not dangerous goods

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

		Page: 11
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

Marine pollutant		no
------------------	--	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

## SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313**

Phosphorodithioic acid, 113706-15-3 1.03 %  
 mixed O,O-bis(sec-Bu and  
 isooctyl) esters, zinc salts

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : Not in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : Not in compliance with the inventory
- PICCS : Not in compliance with the inventory
- IECSC : Not in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## SECTION 16. OTHER INFORMATION

**Further information**

Revision Date: 09/23/2016

<b>NFPA:</b>	<b>HMIS III:</b>
--------------	------------------

**SAFETY DATA SHEET**


Revision Date: 09/23/2016

Print Date: 11/1/2016

SDS Number: R0306034

Version: 1.4

Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil  
 ™ Trademark, Valvoline or its subsidiaries, regisred in various  
 countries  
 VV70505

 <p>Health</p> <p>Flammability</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td style="background-color: blue; color: white;"><b>HEALTH</b></td> <td style="text-align: center;"><b>0</b></td> </tr> <tr> <td style="background-color: red; color: white;"><b>FLAMMABILITY</b></td> <td style="text-align: center;"><b>1</b></td> </tr> <tr> <td style="background-color: yellow; color: black;"><b>PHYSICAL HAZARD</b></td> <td style="text-align: center;"><b>0</b></td> </tr> </table> <p>0 = not significant, 1 =Slight,          2 = Moderate, 3 = High          4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>0</b>	<b>FLAMMABILITY</b>	<b>1</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>0</b>						
<b>FLAMMABILITY</b>	<b>1</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

**NFPA Flammable and Combustible Liquids Classification**  
 Combustible Liquid Class IIIB


**Full text of H-Statements**

- H304                      May be fatal if swallowed and enters airways.
- H315                      Causes skin irritation.
- H318                      Causes serious eye damage.

Sources of key data used to compile the Safety Data Sheet  
 Valvoline internal data including own and sponsored test reports  
 The UNECE administers regional agreements implementing harmonised classification for  
 labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether  
 originating with the company or not. Recipients are advised to confirm in advance of need that the  
 information is current, applicable, and suitable to their circumstances. This SDS has been  
 prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

- List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data  
 sheet :
- ACGIH : American Conference of Industrial Hygienists
  - BEI : Biological Exposure Index
  - CAS : Chemical Abstracts Service (Division of the American Chemical Society).
  - CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
  - FG : Food grade
  - GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
  - H-statement : Hazard Statement
  - IATA : International Air Transport Association.
  - IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

		Page: 13
<b>SAFETY DATA SHEET</b>		Revision Date: 09/23/2016
		Print Date: 11/1/2016
		SDS Number: R0306034
Premium Blue™ Heavy Duty Diesel SAE 15W-40 Engine Oil ™ Trademark, Valvoline or its subsidiaries, regisred in various countries VV70505		Version: 1.4

ICAO : International Civil Aviation Organization  
 ICAO-TI (ICAO) : Technical Instructions by the “International Civil Aviation Organization”  
 IMDG : International Maritime Code for Dangerous Goods  
 ISO : International Organization for Standardization  
 logPow : octanol-water partition coefficient  
 LCxx : Lethal Concentration, for xx percent of test population  
 LDxx : Lethal Dose, for xx percent of test population.  
 ICxx : Inhibitory Concentration for xx of a substance  
 Ecxx : Effective Concentration of xx  
 N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
 DOT : Department of Transportation  
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
 HMIRC : Hazardous Materials Information Review Commission  
 HMIS : Hazardous Materials Identification System  
 NFPA : National Fire Protection Association  
 NIOSH : National Institute for Occupational Safety and Health  
 OSHA : Occupational Safety and Health Administration  
 PMRA : Health Canada Pest Management Regulatory Agency  
 RTK : Right to Know  
 WHMIS : Workplace Hazardous Materials Information System