



## SAFETY DATA SHEET In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

### 1 Identification of the Substance/Mixture and Company

**Product Name:** Isopropyl Alcohol, 99%

**SDS Code:** SSALISO99

**CAS Number:**

67-63-0

**EC number:**

200-661-7

**Index number:**

603-117-00-0

**Product Description:** Solvent

**Manufacturer/Supplier:**

American MasterTech

1330 Thurman Street

Lodi, CA 95240

USA

(800) 860-4073

**European Authorized Representative:**

Emergo Europe

Moleensraat 15

2513 BH The Hague,

The Netherlands

**Emergency Telephone Number:** Infotrac (800) 535-5053 (24 hours) - International (011) 352-323-3500

### 2 Hazards Identification

**Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

**Label elements**

**GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms**



GHS02



GHS07

**Signal word** Danger

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**

---

**Hazard-determining components of labeling:**

propan-2-ol

**Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

---

## 3 Composition

**Chemical characterization: Substances****CAS No. Description**

67-63-0 propan-2-ol

**Identification number(s)****EC number:** 200-661-7

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**

---

---

**Index number: 603-117-00-0**

---

### 4 First Aid Measures

**Description of first aid measures****General information:** Immediately remove any clothing soiled by the product.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Immediately rinse with water.**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:** If symptoms persist consult doctor.**Information for doctor:****Most important symptoms and effects, both acute and delayed:** No further relevant information available.**Indication of any immediate medical attention and special treatment needed:**No further relevant information available.

---

### 5 Firefighting Measures

**Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture:** No further relevant information available.**Advice for firefighters****Protective equipment:** No special measures required.

---

### 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

### 7 Handling and Storage

**Handling:****Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:**Keep ignition sources away - Do not smoke.

---

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**


---

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s):** No further relevant information available.

## 8 Exposure Controls/Personal Protection

**Additional information about design of technical systems:** No further data; see item 7.**Control parameters****Components with limit values that require monitoring at the workplace:****67-63-0 propan-2-ol**

PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI

**Ingredients with biological limit values:****67-63-0 propan-2-ol**

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls:****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**


---

**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

---

## 9 Physical and Chemical Properties

<b>Information on basic physical and chemical properties</b>	
<b>General Information</b>	
<b>Appearance</b>	
<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.
<b>pH-value:</b>	neutral
<b>Change in condition</b>	
<b>Melting point/Melting range:</b>	-89.5 °C (-129 °F)
<b>Boiling point/Boiling range:</b>	82 °C (180 °F)
<b>Flash point:</b>	13 °C (55 °F)
<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Ignition temperature:</b>	425 °C (797 °F)
<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Not determined.
<b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<b>Explosion limits:</b>	
<b>Lower:</b>	2 Vol %
<b>Upper:</b>	12 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	43 hPa (32 mm Hg)
<b>Density at 20 °C (68 °F):</b>	0.785 g/cm <sup>3</sup> (6.551 lbs/gal)
<b>Relative density:</b>	Not determined.
<b>Vapour density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water at 20 °C (68 °F):</b>	1 g/l
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Dynamic at 20 °C (68 °F):</b>	2.43 mPas
<b>Kinematic:</b>	Not determined.
<b>Other information:</b>	No further relevant information available.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**


---

### 10 Stability and Reactivity

**Reactivity:** No further relevant information available.

**Chemical stability:**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known.

**Conditions to avoid:** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

---

### 11 Toxicology Information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

**67-63-0 propan-2-ol**

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

**Primary irritant effect:**

**On the skin:** No irritant effect.

**On the eye:** Irritating effect.

**Sensitization:** No sensitizing effects known.

**Additional toxicological information:**

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

67-63-0	propan-2-ol	3
---------	-------------	---

**NTP (National Toxicology Program)**

Substance is not listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

---

### 12 Ecological Information

**Toxicity:**

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability:** No further relevant information available.

**Behavior in environmental systems:**

**Bioaccumulative potential:** No further relevant information available.

**Mobility in soil:** No further relevant information available.

**Additional ecological information:**

**General notes:**

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

---

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

**Product Name: Isopropyl Alcohol, 99%**
**vPvB:** Not applicable.

**Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

**Uncleaned packagings:**
**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

<b>UN-Number</b> <b>DOT, ADR, IMDG, IATA</b>	UN1219
<b>UN proper shipping name</b> <b>DOT</b> <b>ADR</b> <b>IMDG, IATA</b>	Isopropanol 1219 Isopropanol ISOPROPANOL (ISOPROPYL ALCOHOL)
<b>Transport hazard class(es)</b> <b>DOT</b>	
<b>Class</b> <b>Label</b>	3 Flammable liquids 3
<b>ADR, IMDG, IATA</b>	
<b>Class</b> <b>Label</b>	3 Flammable liquids 3
<b>Packing group</b> <b>DOT, ADR, IMDG, IATA</b>	II
<b>Environmental hazards</b> <b>Marine pollutant:</b>	No
<b>Special precautions for user:</b> <b>Danger code (Kemler):</b> <b>EMS Number:</b> <b>Stowage Category</b>	Warning: Flammable liquids 33 F-E,S-D B
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

**Product Name: Isopropyl Alcohol, 99%**

<b>Transport/Additional information:</b>	
<b>DOT</b>	
<b>Quantity limitations</b>	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
<b>ADR</b>	
<b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	1L
<b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>UN "Model Regulation":</b>	UN 1219 ISOPROPANOL, 3, II

## 15 Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture  
SARA

**Section 355 (extremely hazardous substances):**

Substance is not listed.

**Section 313 (Specific toxic chemical listings):**

Substance is listed.

**TSCA (Toxic Substances Control Act):**

Substance is listed.

**Proposition 65**
**Chemicals known to cause cancer:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

**Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

**Chemicals known to cause developmental toxicity:**

Substance is not listed.

**Carcinogenic categories**
**EPA (Environmental Protection Agency)**

Substance is not listed.

**TLV (Threshold Limit Value established by ACGIH)**

67-63-0 | propan-2-ol

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**


---

**GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms**



GHS02 GHS07

**Signal word** Danger

**Hazard-determining components of labeling:**

propan-2-ol

**Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

---

## 16 Other Information

This information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of the material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

**Department issuing SDS:** Regulatory Department

**Contact:** Phone (800) 860-4073

# SAFETY DATA SHEET

## In Accordance with ISO/DIS 11014

Review Date 09/08/2016

Revision Date 08/23/2016

---

**Product Name: Isopropyl Alcohol, 99%**

---

**Date of preparation / last revision** 09/08/2016 / -**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Copyright © 2016-2017 American MasterTech Scientific Incorporated. All rights reserved.**

No part of these pages may be used for any purpose other than personal use. Therefore, reproduction, modification, storage in a retrieval system or retransmission, in any form or by any means, for reasons other than personal use, is strictly prohibited without prior written permission.