

SAFETY DATA SHEET

1. Identification

Product identifier	TOP SHAPE	
Other means of identification		
SDS number	567N93C	
Product code	HIL00522	
Recommended use	Floor Finish	
Recommended restrictions	For Labeled Use Only	
Manufacturer/Importer/Supplier/Distributor information Manufacturer		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St.	
	St. Joseph, MO 64501	

Contact person	Regulatory Affairs	
Telephone number (816) 233-1321 (Ext. 8285)		
Fax	(816) 383-8485	
E-mail	regulatoryaffairs@hillyard.com	
Emergency telephone #	(800) 424-9300	
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)	

2. Hazard(s) identification

Physical hazards	Not classified.		
•			
Health hazards	Not classified.		
Environmental hazards	Hazardous to the aquatic environment, acute Category 3 hazard		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	Harmful to aquatic life.		
Precautionary statement			
Prevention	Avoid release to the environment.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	18.55% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3 - < 5
Tributoxyethyl Phosphate		78-51-3	1 - < 3
2-Methoxymethylethoxypropan ol [DPM]		34590-94-8	< 1

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact len Continue rinsing.		
Ingestion	Drink water as a precaution. Get medical attention if any discomfort continues.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. This product is miscible in water. Prevent product from entering drains. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.		
	Never return spills to original containers for re-use.		
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid prolonged exposure. Observe good industrial hygiene practices. Avoid release to the environment.		
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		

90 - 100

8. Exposure controls/personal protection

Occupational exposure limits

	Туре	
2-Methoxymethylethoxyprop an ol [DPM] (CAS 34590-94-8)	PEL	600 mg/m3
(0A0 04090-04-0)		100 ppm
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
2-Methoxymethylethoxyprop an ol [DPM] (CAS 34590-94-8)	STEL	150 ppm
(070 04000-04-0)	TWA	100 ppm
US. NIOSH: Pocket Guide to	Chemical Hazards	
Components	Туре	Value
2-Methoxymethylethoxyprop an ol [DPM] (CAS 34590-94-8)	STEL	900 mg/m3
		150 ppm
	TWA	600 mg/m3
		100 ppm
US. AIHA Workplace Enviro		
Components	Туре	Value
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3
()		25 ppm
logical limit values	No biological exposure lir	nits noted for the ingredient(s).
oosure guidelines		
US - California OELs: Skin o	designation	
2-Methoxymethylethoxyp (CAS 34590-94-8)	ropan ol [DPM]	Can be absorbed through the skin.
US - Tennessee OELs: Skin	designation	
2-Methoxymethylethoxyp (CAS 34590-94-8)		Can be absorbed through the skin.
US ACGIH Threshold Limit	•	
2-Methoxymethylethoxyp (CAS 34590-94-8)		Can be absorbed through the skin.
US NIOSH Pocket Guide to		-
2-Methoxymethylethoxyp		Can be absorbed through the skin.
(CAS 34590-94-8)		
(CAS 34590-94-8) US. OSHA Table Z-1 Limits		-
(CAS 34590-94-8)		CFR 1910.1000) Can be absorbed through the skin.
(CAS 34590-94-8) US. OSHA Table Z-1 Limits 2-Methoxymethylethoxyp	Good general ventilation should be matched to cor or other engineering cont	Can be absorbed through the skin. (typically 10 air changes per hour) should be used. Ventilation rates iditions. If applicable, use process enclosures, local exhaust ventilation
(CAS 34590-94-8) US. OSHA Table Z-1 Limits 2-Methoxymethylethoxyp (CAS 34590-94-8) propriate engineering	Good general ventilation should be matched to cor or other engineering cont exposure limits have not	Can be absorbed through the skin. (typically 10 air changes per hour) should be used. Ventilation rates iditions. If applicable, use process enclosures, local exhaust ventilation rols to maintain airborne levels below recommended exposure limits. Seen established, maintain airborne levels to an acceptable level.
(CAS 34590-94-8) US. OSHA Table Z-1 Limits 2-Methoxymethylethoxyp (CAS 34590-94-8) propriate engineering atrols	Good general ventilation should be matched to cor or other engineering cont exposure limits have not such as personal protect	Can be absorbed through the skin. (typically 10 air changes per hour) should be used. Ventilation rates iditions. If applicable, use process enclosures, local exhaust ventilation rols to maintain airborne levels below recommended exposure limits. Seen established, maintain airborne levels to an acceptable level.
(CAS 34590-94-8) US. OSHA Table Z-1 Limits 2-Methoxymethylethoxyp (CAS 34590-94-8) oropriate engineering atrols ividual protection measures, Eye/face protection Skin protection	Good general ventilation should be matched to cor or other engineering cont exposure limits have not such as personal protect	Can be absorbed through the skin. (typically 10 air changes per hour) should be used. Ventilation rates iditions. If applicable, use process enclosures, local exhaust ventilation rols to maintain airborne levels below recommended exposure limits. Seen established, maintain airborne levels to an acceptable level.
(CAS 34590-94-8) US. OSHA Table Z-1 Limits 2-Methoxymethylethoxyp (CAS 34590-94-8) propriate engineering atrols	Good general ventilation should be matched to cor or other engineering cont exposure limits have not such as personal protect Not normally needed.	Can be absorbed through the skin. (typically 10 air changes per hour) should be used. Ventilation rates iditions. If applicable, use process enclosures, local exhaust ventilation rols to maintain airborne levels below recommended exposure limits. been established, maintain airborne levels to an acceptable level.
(CAS 34590-94-8) US. OSHA Table Z-1 Limits 2-Methoxymethylethoxyp (CAS 34590-94-8) propriate engineering atrols ividual protection measures, Eye/face protection Skin protection Hand protection	Good general ventilation should be matched to cor or other engineering cont exposure limits have not l such as personal protect Not normally needed. Not normally needed.	Can be absorbed through the skin. (typically 10 air changes per hour) should be used. Ventilation rates iditions. If applicable, use process enclosures, local exhaust ventilation rols to maintain airborne levels below recommended exposure limits. been established, maintain airborne levels to an acceptable level.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

	•	
Appearance	Milky emulsion	
Physical state	Liquid.	
Form	Liquid.	
Color	Milky white	
Odor	non-objectionable odor	
Odor threshold	Not available	
рН	8 - 9	
Melting point/freezing point	Not applicable / Not available	
Initial boiling point and boiling	> 200 °F (> 93.33 °C)	
range		
Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup	
Evaporation rate	< 1 (ethyl ether = 1)	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	17.35 mm Hg	
Vapor density	1.2477 AIR=1	
Relative density	1.0292 at 77°F	
Solubility(ies)		
Solubility (water)	100 % Complete	
Partition coefficient (n-octanol/water)	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Other information		
Density	8.57 lb/gal	
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
Percent volatile	81.5 - 82.5 %	
VOC	CARB Complaint	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decomposition products are known.	

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May be irritating to the skin.	
Eye contact	Direct contact with eyes may cause temporary irritation.	

Material name: TOP SHAPE

Expected to be a low ingestion hazard.

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

Ingestion

Toxicity data is not available for this mixture. Data below are estimates based on summation methods.

	methods.		
Product	Species	5	Test Results
TOP SHAPE			
<u>Acute</u>			
Dermal			
LD50	Rabbit		37617 mg/kg estimated
Oral			
LD50	Guinea	pig	42857 mg/kg estimated
	Mouse		139 g/kg estimated
	Rabbit		76211 mg/kg estimated
	Rat		85714 ml/kg estimated
			26802 mg/kg estimated
* Estimates for product may	be based on a	additional component data	not shown.
Skin corrosion/irritation	Prolonged	I skin contact may cause te	mporary irritation.
Serious eye damage/eye irritation	Direct con	tact with eyes may cause to	emporary irritation.
Respiratory or skin sensitizatio	on		
Respiratory sensitization	Not a resp	piratory sensitizer.	
Skin sensitization	This produ	uct is not expected to cause	skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
 IARC Monographs. Overall Not listed. US. National Toxicology Pr Not listed. US. OSHA Specifically Reg Not regulated. 	ogram (NTP) Report on Carcinogens	I-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		e reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an asp	piration hazard.	
Chronic effects	Prolonged	l inhalation may be harmful.	
12. Ecological informatio	n		
Ecotoxicity	Harmful to aquatic life.		
Product		Species	Test Results
TOP SHAPE			
Aquatic			
Crustacea	5050	Devisio	
	EC50	Daphnia	123.6768 mg/l, 48 hours estimated

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential		
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

No

Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

2-Methoxymethylethoxypropan ol [DPM] (CAS 34590-94-8)

US. New Jersey Worker and Community Right-to-Know Act

2-Methoxymethylethoxypropan ol [DPM] (CAS 34590-94-8)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Methoxymethylethoxypropan ol [DPM] (CAS 34590-94-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameUnited States & Puerto RicoToxic Substances Control Act (TS)

On inventory (yes/no)* Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yet *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-05-2015
Revision date	05-17-2016
Version #	02
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.