

SAFETY DATA SHEET

Creation Date 06-Nov-2010

Revision Date 24-Dec-2021

Revision Number 5

Product Name	Barium hydroxide octahydrate
Cat No. :	AC203140000; AC203140010; AC203140050; AC203140250; AC203142500
CAS No	12230-71-6
Synonyms	No information available
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 4 Category 4 Category 1 A Category 1

Label Elements

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage

Harmful if swallowed or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract

May cause cardiac arrhythmia

3. Composition/Information on Ingredients

Component		CAS No	Weight %		
Barium hydroxide octahydrate		12230-71-6	>95		
	4	First-aid measures			
O an angl A daisa					
General Advice	required.	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Eye Contact		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.			
Skin Contact		Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.			
Inhalation	control cente	Remove to fresh air. If not breathing, give artificial respiration. Call a physician or p control center immediately. Do not use mouth-to-mouth method if victim ingested of the substance; give artificial respiration with the aid of a pocket mask equipped with			

	one-way valve or other proper respiratory medical device.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects	Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}}$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Oxidizing Properties	Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Barium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 0	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	contact with skin, eyes or c	lothing.	e personnel to safe areas. Avoid
Environmental Precautio	ons Should not be released into water system.	the environment. Do not allo	w material to contaminate ground

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep container tightly closed. Keep in a dry, cool and well-ventilated place. Keep under nitrogen. Corrosives area. Incompatible Materials. Acids. Metals. Aluminium.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Barium hydroxide	TWA: 0.5 mg/m ³	(Vacated) TWA: 0.5 mg/m ³	IDLH: 50 mg/m ³	TWA: 0.5 mg/m ³
octahydrate			TWA: 0.5 mg/m ³	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

	9. Physical and chemical properties
Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
рН	12.5
Melting Point/Range	78 °C / 172.4 °F
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	2.180
Bulk Density	ca. 1.07 kg/m³
Solubility	947 g/l
Partition coefficient; n-octanol/w	
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	H2 Ba O2 . 8 H2 O
Molecular Weight	315.48

10. Stability and reactivity

Reactive Hazard None known, based on information available		
Stability	Stable under normal conditions. Air sensitive.	
Conditions to Avoid Exposure to air. Incompatible products. Exposure to moist air or wa		
Incompatible Materials	Acids, Metals, Aluminium	
Hazardous Decomposition Products Barium oxides		
Hazardous Polymerization Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component information						
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Barium hydroxide octahydrate	rium hydroxide octahydrate 550 mg/kg (Rat) Not listed Not listed					
Toxicologically Synergistic	No information available					
Products						
Delayed and immediate effects as well as chronic effects from short and long-term exposure						
Irritation	Causes burns by all expose	ure routes				

Irritation

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Barium hydroxide octahydrate	12230-71-6	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information available					
Reproductive Effec	ts	No information available.					
Developmental Effects No information available.							
Teratogenicity		No information ava	ailable.				
STOT - single expo STOT - repeated ex							
Aspiration hazard	zard No information available						
Symptoms / effects delayed	ymptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated				sis is		
Endocrine Disrupto	rine Disruptor Information No information available						
Other Adverse Effe	her Adverse Effects May cause cardiac arrhythmia.						
		12. Ecolo	ogical infor	mation			
Ecotoxicity							

Do not empty into drains.

Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation	No information available.
Mobility	Will likely be mobile in the environment due to its water solubility.
	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
	14. Transport information
DOT	

DOT	
UN-No	UN3262
Proper Shipping Name	Corrosive solid, basic, inorganic, n.o.s.
Technical Name	Barium hydroxide octahydrate
Hazard Class	8
Packing Group	ll
TDG	
UN-No	UN3262
Proper Shipping Name	Corrosive solid, basic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
IATA_	
UN-No	UN3262
Proper Shipping Name	Corrosive solid, basic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN3262
Proper Shipping Name	Corrosive solid, basic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Barium hydroxide octahydrate	12230-71-6	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Barium hydroxide octahydrate	12230-71-6	-	-	-	Х	-		Х	Х	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component Barium hydroxide octahydrate		CAS No	Weight %	SARA 313 - Threshold Values % 1.0	
		12230-71-6	>95		
SARA 311/312 Hazard Categories	See section 2	for more information			
CWA (Clean Water Act)	Not applicable				
Clean Air Act	Not applicable				
OSHA - Occupational Safety and Health Administration	Not applicable				
CERCLA	Not applicable				
California Proposition 65	This product does not contain any Proposition 65 chemicals.				
U.S. State Right-to-Know					

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Barium hydroxide	-	Х	Х	-	Х
octahydrate					

U.S. Department of Transportation

olo: Department of Transportation	
Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland	This product does not contain any DHS chemicals.
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Security	This product does not contain any DHS chemicals.
	This product does not contain any DHS chemicals.

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Barium hydroxide octahydrate	12230-71-6	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Barium hydroxide octahydrate	12230-71-6	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date	06-Nov-2010 24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS