

Manufactured by URBAN RESTORATION GROUP US INC.
5439 SAN FERNANDO RD W
LOS ANGELES CA 90039

Tel:1-818-247-2555
Fax:1-818-247-2515

SENSITIVE SURFACE GRAFFITI REMOVER

MATERIAL SAFETY DATA SHEET

IDENTIFICATION

PRODUCT NAME:

Sensitive Surface Graffiti Remover

OTHER NAMES: **SIGN SAVER** Graffiti
Remover

UN Number: None Allocated
Class: None Allocated
D.G. Class: Combustible Liquid
Packaging Group: None Allocated
Hazchem Code: None Allocated
Poison Schedule: S5

HAZARDOUS BY DEFINITION OF OSHA'S HAZARDOUS COMMUNICATION
STANDARD 29 CFR 1910.1200

USE: An environmentally friendly blend of natural plant oils and alcohols designed to remove an amazing amount of marking pens and spray cans from many surfaces without damage to the underlying surface. Ideal for signage, plastics and graffiti from paintwork and coated surfaces.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear to pinkish colored liquid

FLAMMABILITY LIMITS: (%) Not Assigned

VAPOR PRESSURE: 39 mm Hg at 66°F (19°C)

SPECIFIC GRAVITY: 0.95 ± 0.01 at 68°F (20°C)

BOILING POINT: 392°F (200°C)

SOLUBILITY IN WATER: Emulsifiable

FLASH POINT: 109°F (43°C)

PH: 7.2

INGREDIENTS

CAS Number

Proportion

Terpine Hydrocarbon

5989-27-5

30-60%

Cane Sugar Alcohol

64-17-5

10-30%

Wetting Agent

577-11-7

20%

Water

N/A

Balance

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS)

Flammability: 1

Health : 2

Reactivity: 0

Manufactured by URBAN RESTORATION GROUP US INC.
5439 SAN FERNANDO RD W
LOS ANGELES CA 90039

Tel:1-818-247-2555
Fax:1-818-247-2515

SENSITIVE SURFACE GRAFFITI REMOVER

HEALTH HAZARD INFORMATION

INGESTION: Severely irritating. Ingestion will cause damage to the respiratory tract.

EYE: Severely irritating. Contact may cause redness, pain and blurring of vision. Corneal injury and burns may result unless removed promptly.

SKIN: Irritating. Contact with the product may defat the skin and contribute to dermatitis. This product may be absorbed through intact skin.

INHALATION: Vapor may irritate the respiratory tract and eyes. Prolonged exposure may cause dizziness.

ADVICE TO DOCTOR: Treat symptomatically.

FIRST AID PROCEDURES

INGESTION: Never give an unconscious person anything to drink nor attempt to induce vomiting. If swallowed DO NOT induce vomiting, give water and seek URGENT medical attention.

EYE: Immediately hold eyelids open and rinse with a gentle stream of clean running water for at least 5 minutes. Seek medical advice immediately.

SKIN: Remove contaminated clothing and wash affected areas thoroughly with soap and water. Use water alone, if soap is unavailable. Apply a moisturizing hand cream, if available. Seek medical attention if any soreness or inflammation of the skin persists.

INHALATION: Remove affected person to fresh air and URGENTLY seek medical advice. Apply artificial respiration if breathing has stopped.

ADVICE TO DOCTOR: Treat symptomatically.

PRECAUTIONS FOR USE

EXPOSURE LIMITS: Alcohol: (64-17-5) 1000 ppm 1880 mg/m³

VENTILATION: Use only in well ventilated conditions.

PERSONAL PROTECTION: Always wear chemical resistant safety goggles, gloves or gauntlets and overalls when using this product.

Manufactured by URBAN RESTORATION GROUP US INC.
5439 SAN FERNANDO RD W
LOS ANGELES CA 90039

Tel:1-818-247-2555
Fax:1-818-247-2515

SENSITIVE SURFACE GRAFFITI REMOVER

FLAMMABILITY: Non Flammable

INCOMPATIBILITY: Strong oxidizing agents and acids.

SAFE HANDLING PROCEDURES

STORAGE AND HANDLING: Store out of direct sunlight in a cool well ventilated area. Keep separate from oxidizing materials. Empty containers can possibly be hazardous when empty as they may contain product residues. Do not store with foodstuffs etc. Keep containers closed when not in use.

SPILLS & DISPOSAL

SPILLS: Remove unnecessary people from the affected area. Wear protective equipment as specified for handling. If possible dam the spill. Cover with absorbent such as earth, sand or a commercial oil absorber. Sweep up and collect. Place in drums and dispose of to an approved facility for chemical waste. The residue may be washed away with water; however do not let product enter drains, sewers or watercourses.

DISPOSAL: If possible return product to supplier. Otherwise dispose by controlled incineration or to approved landfill.

FIRE EXPLOSION: N/A.

EXTINGUISHING MEDIA: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: This product is stable under ordinary conditions of use and storage.

REGULATORY INFORMATION

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65)

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

CONTACT POINT

Customer Service: 1-818-247-2555

Professional Emergency Resource Services (PERS):
USA 1-800-728-2482 (Int'l 1-801-629-0667)