

SAFETY DATA SHEET

1. Identification

Product identifier	Oatey Great White Pipe Joint Compound		
Other means of identification			
SDS number	1701E		
Synonyms	Part Numbers: 31229, 31230, 31231, 31232, 31233, 48007, 48008, 48009, 48321, 48322		
Recommended use	Pipe Joint Compound for Threaded Metal Pipes		
Recommended restrictions	None known.		
	Manufacturer	Distributor	
Company Name	Oatey Co.	Oatey Canada Supply Chain Services Co.	

Company Name Address

Manufacturer
Oatey Co.
4700 West 160th St.
Cleveland, OH 44135

Distributor Oatey Canada Supply Chain Services C 145 Walker Drive Brampton, ON L6T 5P5, Canada

Telephone	216-267-7100
E-mail	info@oatey.com
Transport Emergency	Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)
Emergency First Aid	1-877-740-5015
Contact person	MSDS Coordinator

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Health hazards not otherwise classified	Category 1
Environmental hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. The thermal decomposition vapors of fluorinated polymers may cause polymer fume fever.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Other hazards	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Calcium carbonate	1317-65-3	30-50
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	30-40
Polyfluoroethylene	9002-84-0	5-15
Titanium dioxide	13463-67-7	5-10

Crystalline silica (Quartz)	14808-60-7	< 0.5
-----------------------------	------------	-------

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Coughing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Cuitable avtinguishing modia	Water for Form Dry chamical neuroner Carbon diavida (CO2)

water log. Foam. Dry chemical powder. Carbon dioxide (CO2).
Do not use water jet as an extinguisher, as this will spread the fire.
During fire, gases hazardous to health may be formed.
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Move containers from fire area if you can do so without risk.
Use standard firefighting procedures and consider the hazards of other involved materials.
No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation.
Methods and materials for	The product is immiscible with water and will sediment in water systems.
containment and cleaning up	Large Spills: Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid contact with eyes. Avoid contact with skin. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Crystalline silica (Quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	
Crystalline silica (Quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Crystalline silica (Quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
Crystalline silica (Quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Crystalline silica (Quartz)	TWA	0.1 mg/m3	Respirable.
Titanium dioxide (CAS	TWA	10 mg/m3	
13463-67-7)		-	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	TWA	10 mg/m3	Total dust.
Crystalline silica (Quartz) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.
Biological limit values	No biological exposure limits noted for t	he ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures,	such as personal protective equipmen	t	
Eye/face protection	Wear safety glasses with side shields (c	or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant glc	oves.	
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear s	uitable respiratory equipment	t.
Thermal hazards	Wear appropriate thermal protective clo	thing, when necessary.	
General hygiene considerations	Always observe good personal hygiene and before eating, drinking, and/or smo equipment to remove contaminants.	measures, such as washing a king. Routinely wash work clo	after handling the material othing and protective

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid paste.
Color	White.
Odor	Odorless
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explo	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	< 1
Relative density	1.7
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.

Decomposition temperature	Not available.
Viscosity	25000 cP
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC (Weight %)	3 g/l

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions. Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Fluorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Coughing.

Information on toxicological effects

Acute toxicity	Not expected to be acutely tox	ic.	
Components	Species		Test Results
Titanium dioxide (CAS 13463-67-7)		
Acute			
Inhalation			
LC50	Rat		3.43 mg/l, 4 Hours
Oral			
LD50	Rat		> 5000 mg/kg
Skin corrosion/irritation	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Canada - Alberta OELs: Irrita	ant		
Calcium carbonate (CAS Titanium dioxide (CAS 13	1317-65-3) 463-67-7)	Irritant Irritant	
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	o cause skin sensitizatio	n.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)		

ACGIH Carcinogens			
Crystalline silica (Quartz) Distillates (petroleum), hy (CAS 64742-52-5)	(CAS 14808-60-7) drotreated heavy naphthenic	A2 Suspected human carcinogen. A4 Not classifiable as a human carcinogen.	
Titanium dioxide (CAS 13463-67-7) Canada - Alberta OELs: Carcinogen category		A4 Not classifiable as a human carcinogen.	
Crystalline silica (Quartz) (CAS 14808-60-7)		Suspected human carcinogen.	
Canada - Manitoba OELs: ca	rcinogenicity		
MINERAL OIL, EXCLUDI POORLY AND MILDLY R	NG METAL WORKING FLUIDS EFINED (CAS 64742-52-5)	, Suspected human carcinogen.	
MINERAL OIL, EXCLUDI PURE, HIGHLY AND SEV INHALABLE FRACTION (NG METAL WORKING FLUIDS; /ERELY REFINED, (CAS 64742-52-5)	, Not classifiable as a human carcinogen.	
SILICA, CRYSTALLINE/ RESPIRABLE FRACTION	ALPHAQUARTZ, V (CAS 14808-60-7)	Suspected human carcinogen.	
Canada - Quebec OELs: Car	cinogen category	Not classifiable as a human carcinogen.	
Crystalline silica (Quartz)	(CAS 14808-60-7)	Suspected carcinogenic effect in humans.	
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Crystalline silica (Quartz) Distillates (petroleum), hy (CAS 64742-52-5)	(CAS 14808-60-7) drotreated heavy naphthenic	1 Carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.	
Polyfluoroethylene (CAS s Titanium dioxide (CAS 13	9002-84-0) 463-67-7)	3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans.	
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. Frequen prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the deg	gradability of this product.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	IS		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be ass disposal company.	igned in discussion between the user, the producer and the waste	
Waste from residues / unused products	Dispose of in accordance with product residues. This materia Disposal instructions).	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may emptied. Empty containers sho disposal.	retain product residue, follow label warnings even after container is buld be taken to an approved waste handling site for recycling or	

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date	10-December-2015
Revision date	24-May-2016
Version #	02

List of abbreviations	 IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. TWA: Time weighted average. LD50: Lethal dose 50% (dose that kills 50% of test animals). LC50: Lethal concentration 50% (concentration that kills 50% of test animals).
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents
Disclaimer	Oatey Co. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.